

Autorenverzeichnis/Author Index

- Abd El-Salaam K. M., s. El-Awad A. M.
- Aboulwafa O. M., s. Labouta I. M.
- Abraham T.: Action of potassium fluoride on 5-benzensulfonyl-5,1-dihydro-10-trimethylsilylindeno[1,2-b]-indole. Attempted synthesis of di-benzo[b,f-1]azapentalene 117
- Abu Zuhri A. Z., s. Abu-Eid M. A.
- Abu-Eid M. A., Mahmoud F. M., El-Nuri M., Abu Zuhri A. Z.: Kinetic studies of the hydrolysis of furfurylidene benzoylhydrazone 323
- Abu-Elnader H. M., s. Fouda A. S.
- Abushanab E., s. El-Kerdawy M. M.
- Akcamur Y., Altural B., Saripinar E., Yildirim I., Kollenz G.: Reactions of cyclic oxalyl compounds, Part XXIX. A simple synthesis of functionalized 1*H*-pyrimidines 1015
- Albalat R., Gómez E., Sarret M., Vallés E.: Influence of the adsorption on the oxidation of oxalic acid on a gold electrode in acidic media 651
- Al-Sadoon A.-W., s. Ebraheem K. A. K.
- Altural B., s. Akcamur Y.
- Alvarez-Valdés A., Bravo A. H., Camazón M. J., Menéndez N., Navarro-Ranninger M. C., Tornero J.: Mössbauer-, far-infrared and Raman spectra of tetrachloro[1,4-di(*p*-methoxyphenyl)-2,3-dimethyl-1,4-diazabutadiene]tin(IV) 827
- Ansari S. M., Robien W., Schlederer M., Wolschann P.: ¹H-NMR Investigations of the conformation of aryl-(hydroxynaphthyl)-methylperidines. Intramolecular interactions, IV. 1003
- Arenas J. F., Marcos J. I., Quirante J. J., Ramirez F. J.: Force field for in-plane vibrations of isophthalonitrile 273
- Asker K. A., s. Ebraheem K. A. K.
- Atanasov M. A., s. Schmidtke H.-H.
- Augustin M., s. Dölling W., Kindt P.
- Azab H. A., Hassan A., El-Shatory S. A.: Polarographic behaviour and determination of As(III) in aqueous complexing electrolytes 425
- Badawey E.-S. A. M., Rida S. M., Soliman F. S. G., Kappe T.: Benzimidazole condensed ring systems, III. Synthesis of some substituted 2,3-dihydrocyclopenta-1*H*-[4',5':2,3]pyrido[1,2-*a*]benzimidazole-11-carbonitriles 73
- Badawey E.-S. A. M., Rida S. M., Soliman F. S. G., Kappe T.: Benzimidazole condensed ring systems, VI. Organic azides in heterocyclic synthesis, X. Synthesis of some substituted pyrimido[1,6-*a*]benzimidazoles as potential antimicrobial agents 1159
- Bakalova, N. K., Chetkarov M. L., Nikolov T. K., Kolev D. N.: Kinetic method for the study of xylan hydrolysis by xylan hydrolases 343
- Bartsch H., Erker T., Neubauer G.: Untersuchungen zur Synthese neuer tricyclischer Heterocyclen aus 1,4-Benzoxazin- und 1,4-Benzothiazin-3-oximen. 7. Mitteilung über Studien zur Chemie von O,N- und S,N-haltigen Heterocyclen 81

- Beckert R., Gruner M., Seidel I., Kuban R.-J.: Zur Reaktion von Derivaten des Thiosemicarbazids mit Bisimidchloriden der Oxalsäure 1125
- Beckert R., s. Fülöp V.
- Bernáth G., s. Dombi G., Szabó J.
- Bluhm K., Müller-Buschbaum H.: Eine neue Verbindung vom $M_3TiB_2O_{10}$ -Typ mit geordneter Metallverteilung: $Ni_3SnB_2O_{10}$ 85
- Bogdan M., s. Mager S.
- Bögge H., s. Müller A.
- Boncheva-Mladenova Z., s. Mitkova M.
- Bravo A. H., s. Alvarez-Valdés A.
- Bruncko M., s. Marchalin S.
- Brunette J.-P., s. Kalemekiewicz J.
- Brunvoll J., s. Cyvin S. J.
- Brzyska W., Rzaczyńska Z., Kula A.: Preparation and study of rare earth 4-aminosalicylates 211
- Brzyska W., s. Rzaczyńska Z.
- Buchbauer G., Spreitzer H., Zechmeister-Machart F., Pleßl M.: Bishomocamphenilol, Bishomocamphen und Bishomocamphenilansäure. Synthesen in der Isocamphanreihe, 32. Mitt. 299
- Camazón M. J., s. Alvarez-Valdés A.
- Chauhan M., s. Mehrotra K. N.
- Chen Rong-si, s. Cyvin S. J.
- Chetkarov M. L., s. Bakalova N. K.
- Ciechanowicz-Rutkowska M., Grochowki J., Lavai A., Puzicha G., Serda P., Snatzke G.: Oxazepines and thiazepines, XX. CD-Spectra of optically active 2-phenyl-2,3-dihydro-1,5-benzothiazepin-4(5H)-ones and related 3-phenylthio-3-phenylpropionic acid derivatives, and X-ray diffraction of one phenethylamide 981
- Cipriano C., s. Toma H. E.
- Colditz R., s. Gustav K.
- Cuno E., Müller-Buschbaum H.: Ein neues Oxochromat: $SrNi_2Cr_8O_{15}$ vom Strukturtyp $BaV_{10}O_{15}$ 1
- Cyvin B. N., s. Cyvin S. J.
- Cyvin S. J.: Enumeration of Kekulé structures for some coronoid hydrocarbons: "Waffles" 243
- Cyvin S. J., Cyvin B. N., Brunvoll J., Chen Rong-si: The number of Kekulé structures for rectangle-shaped benzenoids, Part VIII: Some perforated rectangles 833
- Dartmann M., s. Müller A.
- Degen-Piotrowska E., s. Ignaczak M.
- Derylo-Marczewska A., s. Marczewski A. W.
- Deutsch E., s. Szölgyényi G. P.
- Divjaković V., s. Leovac V. M.
- Dobnikar M., Kočevar M., Petrič A., Tišler M., Verčec B.: Reactions of quaternized imidazo-quinazoline and -pyridopyrimidine with active methylene compounds 269
- Dölling W., Vogt A., Augustin M.: Synthese von 1,3-Dithiol-2-thion-Derivaten durch Phasentransfer-Dithiocarboxylierung von CH-aciden O-Alkyl-dithiokohlensäurediestern 879
- Dölling W., s. Kindt P.
- Dombi G., Szalma S., Szabó J., Bernáth G.: Basicity, quaternization and hydrolysis of 2H- and 4H-1,3-benzothiazine isomers 587
- Dominguez E., Laborra C., Linaza A., Madoz A., Katime I. A.: A series of mono and diesters of itaconic acid: Synthesis and structural determination 743
- Dornfeld H., s. Müller A.
- Drozdowski P. M., Kopacz K.: Far-infrared spectra of lanthanide complexes with 8-hydroxyquinoline 187
- Dvortsák P., s. Szilágyi G.
- Ebraheem K. A. K., Hamdi S. T., Asker K. A., Al-Sadoon A.-W.: The

- effects of solute-solvent interactions on the electronic visible spectra of bis(β -diketonato)oxovanadium(IV) complexes 509
- Ebraheem K. A. K., Shargi S. N., Kadum S. A.: INDO-SCPT calculations of the solvent dependence of some carbon-proton spin-spin coupling constants 923
- El-Amam A. S., s. El-Kerdawy M. M.
- El Awad A. M., Hassan E. A., Said A. A., Abd El-Salaam K. M.: Role of the structural and electronic properties of molybdenum trioxide catalysts on the structure-sensitive oxidation of methanol to formaldehyde 199
- El-Kerdawy M. M., El-Amam A. A., El-Subbagh H. I., Abushanab E.: Synthesis of certain substituted 4*H*-thieno[2,3-*b*][1]benzothiopyran-4-ones as possible schistosomicidal agents 991
- El-Nuri M., s. Abu-Eid M. A.
- El-Shatory S. A., s. Azab H. A.
- El-Subbagh H. I., s. El-Kerdawy M. M.
- Elbanowski M., Lis S., Konarski J.: The quantum efficiency of the luminescence of Eu(III), Tb(III), and Dy(III) in aqueous solutions 699
- Elbanowski M., s. Lis S.
- Erker T., s. Bartsch H.
- Fabian J., s. Fülöp V., Liebscher J.
- Fakhari E., Schönfeld T.: Ion exchange behaviour of polymeric zirconium cations 1091
- Falk H., Flödl H.: Beiträge zur Chemie der Pyrrolpigmente, 80. Mitt.: Synthese, Struktur und Transporteigenschaften von Hexapyrrinanaloga 45
- Falk H., Grubmayr K., Marko M.: Beiträge zur Chemie der Pyrrolpigmente, 82. Mitt.: Wasserlösliche Polymere mit kovalent gebundenen violinoiden und 2,3-dihydro-verdinoiden Gallenfarbstoffen 771
- Falk H., Müller N., Streßler G.: Beiträge zur Chemie der Pyrrolpigmente, 81. Mitt.: Kraftfeldrechnungen an Gallenfarbstoffen. Die Energiehyperfläche von 2,3-Dihydrobiolin-1,19-dionen 139
- Falk H., Müller N., Wöss H.: Beiträge zur Chemie der Pyrrolpigmente, 79. Mitt.: Zum strukturellen Einfluß stark raumerfüllender Reste bei 10-substituierten 1,19-Bilindionen 35
- Falk H., s. Marko H.
- Feliz M., Ribó J. M., Salgado A., Trull F. R., Vallès M. A.: On the ^1H NMR spectra of biliverdins with free propionic acid substituents 445
- Ferenc W.: Preparation and properties of yttrium, lanthanum, and lanthanide 2,4-dinitrobenzoates 1075
- Ferenc W.: Preparation and properties of yttrium, lanthanum, and lanthanide 3,5-dinitrobenzoates 539
- Fillol L., Martinez-Utrilla R., Miranda M. A., Morera I. M.: Photochemical versus aluminium chloride catalyzed Fries rearrangement of aryl hydrogen succinates. Synthesis of 2(3*H*)-furanones 863
- Fleischhacker W., Richter B., Urban E.: Synthese von Cotarnin-iodid 765
- Flödl H., s. Falk H.
- Fouda A. S., Mostafa H. A., Abu-El-nader H. M.: Phenyl semicarbazide derivatives as corrosion inhibitors for aluminium in hydrochloric acid solution 501
- Friedbacher G., s. Stanetty P.
- Fritzer H. P., s. Sperka G.
- Fülöp V., Kalman A., Beckert R., Fabian J.: On the reaction of dithiocarbamates with nitrogen-containing derivatives of oxalic acid 561
- Gajda V., Toma S., Widhalm M.: Enantioselective chromatography of chiral chalcon-tricarbonyl-chromium complexes and their use in stereoselective Michael addition 147

- Georgiev G., Zakhariyeva M.: Extraction of chlorides of some lanthanoids by tricaprylmethyl-ammonium pelargonate 1085
- Gerbeleu N. V., s. Leovac V., M.
- Gewald K., s. Schäfer H.
- Giester G.: Crystal structure of $\text{Li}_2\text{Cu}_3(\text{SeO}_3)_2(\text{SeO}_4)_2$ 661
- Gómez E., s. Albalat R.
- Gompper K., s. Strnad J.
- Gowik P., Klapötke T.: Warum wirken Organometallhexafluoropnikogenat-Komplexe biozid? Eine Studie zur Struktur-Wirkungs-Korrelation 711
- Graubaum H., Seeböth H., Zalupsky P.: 5-Amino-1,2,3,4-thiadiazole: its acylation with chloroformates and chlorothioformates as a route to 1,2,4-thiadiazoles and 1,6,6a, Δ^4 -thia-3,4-diazapentalenes 997
- Grochowski J., s. Ciechanowicz-Rutkowska M.
- Grosu I., s. Mager S.
- Grubmayr K., s. Falk H.
- Gruner M., s. Beckert R.
- Grzejdziak A., s. Ignaczak M.
- Gustav K., Colditz R., Steen D.: Theoretische Untersuchungen zur Molekülstruktur und Spektroskopie von Benzopyrylium-Verbindungen: Vollständig optimierte S_0 - und S_1 -Molekülgeometrien des 2-Phenylbenzopyrylium-Ions 715
- Gustav K., Colditz R., Steen D.: Theoretische Untersuchungen zur Molekülstruktur und Spektroskopie von Benzopyrylium-Verbindungen: Vollständig optimierte S_0 - und S_1 -Molekülgeometrien des 5,6-Dihydrobenzo[c]xanthylum-Ions und Einfluß der Strukturfixierung sowie Substitution auf sein elektronisches Spektralverhalten in Absorption und Fluoreszenz 721
- Gustav K., Schreiber H., Hennig B.: Vibronisches Spektralverhalten von Molekülen: Theoretische Molekülgeometrien und Spektrumstruktur der S_0 - S_1 -Absorption und Fluoreszenz des 2,5-Diphenylfurans 111
- Gustav K., Storch M., Schreiber H.: Molekülgeometrie und angeregte Elektronenzustände, XXII. Quantenchemische Untersuchungen zur Molekülgeometrie und zum vibronischen Spektralverhalten von ausgewählten Borchelaten 473
- Gutman I.: Examination of the statistical method in the conjugated circuit theory 1043
- Gutmann V., Resch G., Kantner W., Linert W.: Mechano-elektrochemische Effekte, VI. Einfluß der Elektrodengeometrie auf Potentialverschiebungen bei der plastischen Deformation von Kupfer und Hinweise auf die Systemorganisation 11
- Gutmann V., Scheiber E., Resch G.: Supercooled water. Considerations about the system organization of liquid water 671
- Hamdi S. T., s. Ebraheem K. A. K.
- Hannongbua S. V., s. Kokpol S. U., Rode B. M.
- Hartmann M., Zbiral E.: Structural variations of N-acetylneuraminic acid, XII. A new useful approach to 4-epi- and 8-epi-N-acetylneuraminic acid 899
- Haslinger E., Rudolph S.: Synthetische Umwandlung des Abietinsäuregerüsts. Abbau der Carboxylfunktion 759
- Hassan A., s. Azab H. A.
- Hassan A. M. M., s. Labouta I. M.
- Hassan E. A., s. El-Awad A. M.
- Hassoun A., s. Liebscher J.
- Heckmann K., s. Strnad J.
- Hellmann W., s. Müller A.
- Henkel G., s. Reisch J.
- Hennig B., s. Gustav K.
- Henning H.-G., s. Kernchen F.

- Herak J. J., s. Tomic M.
Heß-Riechmann C., s. Müller A.
Horn M., s. Mager S.
Huang J.-C., s. Lu X.
Hunter G., s. Kremminger P.
Huque E. M.: New induced cholesteric micellar liquid crystals. Characterization and pitch determination 393
Huque E. M.: Dielectric relaxation processes of some nearly spherical dipolar organic molecules in a few glassy media 931
- Iding M., s. Reisch J.
Ignaczak M., Grzejdzia A., Degen-Piotrowska E.: Characteristic of the Ag(II)/Ag(I) system in the presence of 2,2':6',2"-terpyridine in acetonitrile 529
Ignaczak M., Grzejdzia A., Olejniczak B.: Complexing equilibria and redox potentials of the Ag(II)/Ag(I) system in the presence of 2,2':6',2"-terpyridine in water 515
Ilavsky D., s. Marchalin S.
Ipser H., Mikula A., Schuster W.: Lattice parameters and melting behaviour of the ternary B₂-phase in the Co-Ga-Ni system 283
- Jakubke H.-D., s. Schellenberger V.
Jakubowska T., s. Sobczynski A.
Jaroniec M., s. Lu X., Marczewski A. W.
Junek H., Klade M., Sterk H.: Über Dicyanmethylen-aminoindene, Indano-pyrazine und Indano-pyridine. Synthesen mit Nitrilen, 83. Mitt. 781
- Kader O., s. Labouta I. M.
Kadum S. A., s. Ebraheem K. A. K.
Kalchauer H.: ¹³C NMR Spectroscopy of tricarbonyl[3-6-η((E)-6-methyl-3,5-heptadien-2-one)iron at low temperatures 809
Kalembkiewicz J., Brunett J.-P., Leroy M. J. F.: Effect of aniline derivatives on the extraction of cobalt with 1-phenyl-3-methyl-4-benzoylpyrazol-5-one in toluene 691
Kalman A., s. Fülöp V.
Kang W.-B., Nan'ya S., Sekiya T., Ueno Y.: The synthesis of benzophenothiazine derivatives 311
Kantner W., s. Gutmann V.
Kappe C. O., Kappe T.: Synthesis of substituted 3-pyridinecarbonitriles with potential biological activity 1095
Kappe T., s. Badawey E.-S. A. M., Kappe C. O., Wagner U. G.
Katime I. A., s. Dominguez E.
Katócs A., s. Szabó J.
Keller W., s. Meyer A.
Kepez M.: Zur Oxidation von 2,3-Dimethylchinoxalin und 2,4-Dimethylchinoxalin mit Selenoxid 127
Kernchen F., Henning H.-G.: Photochemie von Aminoketonen, 12. Mitt.: Zum Verhalten rotamerer N-Acylglyciner in der photochemischen Glycin → Prolin-Umwandlung 253
Kindt P., Dölling W., Augustin M.: Dithiocarboxylierung von α-Stickstoff-Carbanionen 871
Klade M., s. Junek H.
Klapötke T., s. Gowik P.
Kleinpeter E., Maschmeier C.-P., Matschiner H.: Zur konformativen Anordnung polarer Substituenten in 5-Stellung von 1,3-Dioxanen 725
Kočev M., s. Dobnikar M.
Kokpol S. U., Hannongbua S. V., Limtrakul J. P.: The influence of Na⁺ on neighbouring hydrogen bonds of aliphatic amino acids 491
Kolev D. N., s. Bakalova N. K., Spasov S. D.
Kollenz G., s. Akcamur Y.
Konarski J., s. Elbanowski M.
Kopacz K., s. Drozdowski P. M.
Kokpol S. U., s. Rode B. M.

- Kostova I., Simova S.: Preparation and stereochemical characterization of some N-acyl[1]benzopyrano[3,4-pyrazole derivatives from rotenoids 1107
- Kovacevic M., s. Tomic M.
- Kratky C., s. Kremminger P., Meyer A., Reischl W., Wagner U. G.
- Kratzel U., s. Spreitzer H.
- Kremminger P., Weissensteiner W., Kratky C., Hunter G., MacKay R. L.: Observation of slowed rotation about the (η^6 -arene)-chromium bond in the chromium tricarbonyl complex of the *syn-anti-syn* trimer of bicyclo[2.2.1]hept-2-yne 1175
- Krickemeyer E., s. Müller A.
- Krois D., Lehner H.: On the fate of biliverdin-III α -dimethyl ester formed by scrambling during syntheses of biliverdin-IX α -dimethyl ester from bilirubin 575
- Krois D., Lehner H.: Restricted helix inversion in chiral 2,18-bridged biliverdins 789
- Krois D., Simonetti M., Wünsch E.: On the hypothetical protein F 154 of the TTV 1 virus/*Thermoproteus tenax*, Part II. Synthesis of the triicosapeptide, corresponding to the protein sequence 79-101 1029
- Krois D., s. Wünsch E.
- Kuban R.-J., s. Beckert R.
- Kula A., s. Brzyska W.
- Laborra C., s. Dominguez E.
- Labouta I. M., Hassan A. M. M., Aboulwafa O. M., Kader O.: Synthesis of some substituted benzimidazoles with potential antimicrobial activity 571
- Lang C., Müller-Buschbaum H.: Über ein neues Oxoiridat(IV): Ba₇Ir₆O₁₉ 705
- László-Parragi M., s. Szalai I.
- Lehner H., s. Krois D.
- Leovac V. M., Divjaković V., Petrović A. F., Gerbelevu N. V.: Transition metal complexes with thiosemicarbazide-based ligands. Part IV. Synthesis and molecular structure of 5-nitrosalicyl-aldehyde S-methylthiosemicarbazonato-piperidine-copper(II) 181
- Leroy M. J. F., s. Kalemekiewicz J.
- Levai A., s. Ciechanowicz-Rutkowska M.
- Liebscher J., Hassoun A., Fabian J.: 1-Amino-2-hydrazinopyrimidin-Nylides. Unusual tautomers of 1-aminopyrimidin-2-hydrazones 749
- Limtrakul J. P., s. Kokpol S. U.
- Linaza A., s. Dominguez E.
- Linert W., s. Gutmann V.
- Lis S., Marciniak B., Elbanowski M.: On the role of the ground state Tb(III)/acetylacetone complex in sensitized emission of Tb(III) in ethanol solution 821
- Lis S., s. Elbanowski M.
- Lu X., Jaroniec M., Madey R., Rothstein D., Huang J.-C.: Adsorption of propane and *n*-butane on polystyrene adsorbents 401
- MacKay R. L., s. Kremminger P.
- Madey R., s. Lu X.
- Madoz A., s. Dominguez E.
- Mager S., Horn M., Grosu I., Bogdan M.: Stereochemie und ¹H-NMR-Spektren einiger von Pentaerythrit abgeleiteten Spiro-1,3-dioxane 735
- Mahmoud F. M., s. Abu-Eid M. A.
- Mantaka-Marketou A., s. Varveri F. S.
- Marchalin S., Ilavsky D., Bruncko M.: Synthese von 4*H*-Pyrano[2,3-*d*]-pyrimidinen 1101
- Marciniak B., s. Lis S.
- Marcos J. I., s. Arenas J. F.
- Marczewski A. W., Derylo-Marczewska A., Jaroniec M.: A simplified integral equation for adsorption of gas mixtures on heterogeneous surfaces 225

- Marko H., Müller N., Falk H.: UV-vis and CD spectroscopic investigations of intermolecular interactions of bile pigments with small proteins 163
- Marko H., Müller N., Falk H.: Complex formation between biliverdin and apomyoglobin 591
- Marko M., s. Falk H.
- Martinez-Utrilla R., s. Fillol L.
- Maschmeier C.-P., s. Kleinpeter D.
- Matschiner H., s. Kleinpeter E.
- Mazurkiewicz R.: Synthesis and rearrangement of 4-imino-4H-3,1-benzoxazines 973
- Medio-Simón M., s. Sepúlveda-Arques J.
- Mehrotra K. N., Chauhan M., Shukla R. K.: Physico-chemical studies on samarium soaps in solid state 1063
- Melguizo M., s. Sanchez A.
- Menéndez N., s. Alvarez-Vaidés A.
- Meyer A., Schlögl K., Keller W., Kratky C.: Stereochemistry of planar-chiral compounds, Part XII. Absolute chiralities of 2,2'-bi(1,6-methano[10]annuleny)s 453
- Micha-Screttas M., s. Varveri F. S.
- Miernik D.: The low frequency IR and Raman spectra of some complexes of dithiooxamide with cadmium halides 191
- Mikler H.: Hexagonal high pressure phase of copper(I)tetraiodomercurate (Cu_2HgI_4) 7
- Mikula A., s. Ipser H.
- Miranda M. A., s. Fillol L.
- Mitin Y. V., s. Schellenberger V.
- Mitkova M., Boncheva-Mladenova Z.: Glass forming region and some properties of the glasses from the system Se-Te-Ag 643
- Morera I. M., s. Fillol L.
- Mostafa H. A., s. Fouda A. S.
- Mostler U., Urban E.: Synthese und Konfigurationszuordnung eines potentiell antimikrobiellen 5,6-Dihydroxyisobenzofuranons 349
- Müller A., Bögge H., Schimanski U., Penk M., Nieradzik K., Dartmann M., Krickemeyer E., Schimanski J., Römer C., Römer M., Dornfeld H., Wienböcker U., Hellmann W., Zimmermann M.: Darstellung und Röntgenstrukturanalyse von 26 Thiomolybdat- bzw. Wolframato- und eines Selenwolframato-Komplexes 367
- Müller A., Piperaki E., Heß-Riechmann C.: Photometrische Rheniumbestimmung in industriellen Proben. Eine schnelle und einfache Methode mit hoher Selektivität 219
- Müller N.: Multiple quantum ^1H -NMR of ferrocene in isotropic solution 801
- Müller N., s. Falk H., Marko H.
- Müller-Buschbaum H., s. Bluhm K., Cuno E., Lang C., Rüter I.
- Nan'ya S., s. Kang W.-B.
- Nanda B., s. Phadnis A. P.
- Navarro-Ranninger M. C., s. Alvarez-Valdes A.
- Neubauer G., s. Bartsch H.
- Neudeck H. K.: Aromatische Spirane, 16. Mitt.: Darstellung von mono- und dianellierten 2,2'-Spirobiindan-1,1'-dionen 597
- Neudeck H. K.: Aromatische Spirane, 17. Mitt.: Darstellung von anellierten und substituierten 2,2'-Spirobiindan-1-onen und 4,5'-disubstituierten 2,2'-Spirobiindanen 623
- Nieradzik K., s. Müller A.
- Nikokavouras J., s. Varveri F. S.
- Nikolov T. K., s. Bakalova N. K.
- Nogueras M., s. Sanchez A.
- Olejniczak B., s. Ignaczak M.
- Patwardhan S. A., s. Phadnis A. P.
- Penk M., s. Müller A.
- Perlepes S. P., s. Zafiroopoulos T. F.
- Petrič A., s. Dobnikar M.
- Petrović A. F., s. Leovac V. M.

- Pfeuffer L., s. Pindur U.
- Phadnis A. P., Sinha B., Nanda B., Patwardhan S. A., Rao V., Sharma R. N.: Products active on mosquitos, IV. Synthesis and biological activity of 8-propargyloxy-3,7-dimethyl-2,6-octadienyl/6-octenyl ethers 581
- Pindur U., Pfeuffer L.: New structural aspects of 3-vinyl-1*H*-indoles for predicting the outcome of Diels-Alder reactions 27
- Pindur U., Pfeuffer L.: Wittig-Olefierung zu neuen donor-und akzeptorsubstituierten 3-Vinylindolen: Optimierte Syntheseverfahren 157
- Piperaki E., s. Müller A.
- Piqueres-Vidal L., s. Sepúlveda-Arques J.
- Plakatouras J., s. Zafiropoulos T. F.
- Pleßl M., s. Buchbauer G.
- Polman S., s. Rode B. M.
- Preisinger A., s. Zobetz E.
- Puschautz E., s. Stanetty P.
- Puzicha G., s. Ciechanowicz-Rutkowska M.
- Quijano M. L., s. Sanchez A.
- Quirante J. J., s. Arenas J. F.
- Ramirez F. J., s. Arenas J. F.
- Rao V., s. Phadnis A. P.
- Ratkovics F., s. Szalai I.
- Reisch J., Iding M.: Naturstoffchemie, 127. Mitt.: Synthese des (\pm)-Almeins aus *Almeida guyanensis* 363
- Reisch J., Salehi-Artimani R. A., Henkel G.: Acetylenchemie, 12. Mitt.: Synthese und Kristallstruktur des 11-Isopropyliden-1a,10b-dihydro-1*H*-1,6-methano-dibenzo[b,f]-cyclopropa[d]azepin 797
- Reischl W.: A convenient preparation of 8*R*,25-dihydroxy-9,10-seco-4,6,10(19)-cholestatrien-3-one 1185
- Reischl W., Kratky C., Sheldrick G. M., Zbiral E.: Über die Stereochemie der Bisoxirane aus den 4-N-Phe-nyl-triazolin-3,5-dion-addukten von Vitamin D₃ und Röntgenstrukturanalyse eines der Benzoylderivate 1165
- Resch G., s. Gutmann V.
- Ribó J. M., s. Feliz M.
- Richter B., s. Fleischhacker W.
- Rida S. M., s. Badawey E.-S. A. M.
- Robien W., s. Ansari S. M.
- Rode B. M., Schwendinger M. G., Kokpol S. U., Hannongbua S. V., Polman S.: Quantum pharmacological studies on antimalarial drugs 913
- Römer C., s. Müller A.
- Römer M., s. Müller A.
- Rossmann K., Unfried P.: Neuuntersuchung der Methode der thermischen Zersetzung zur Auftrennung von Yttererdnitraten in großem Maßstab 849
- Rothstein D., s. Lu X.
- Rozwadowski M., s. Wojsz R.
- Rudolph S., s. Haslinger E.
- Rüter I., Müller-Buschbaum H.: Ein neuer Strukturtyp mit flächenverknüpften BaO₆-Oktadern: Ba₆Nd₂Al₄O₁₅ 1069
- Rzaczynska Z., Brzyska W.: Complexes of Y, La, and lanthanides with *m*-aminobenzoic acid 231
- Rzaczynska Z., s. Brzyska W.
- Said A. A., s. El-Awad A. M.
- Salehi-Artimani R. A., s. Reisch J.
- Salgado A., s. Feliz M.
- Sanchez A., Quijano M. L., Melguizo M., Nogueras M.: Synthesis of 5-glucopyranosylaminopyrano[2,3-d]-pyrimidin-2-one derivatives 1119
- Saripinar E., s. Akcamur Y.
- Sarret M., s. Albalat R.
- Scheiber E., s. Gutmann V.
- Schellenberger U., s. Schellenberger V.
- Schellenberger V., Schellenberger U., Mitin Y. V., Jakubke H.-D.: Papainkatalysierte kinetisch kontrol-

- lierte Peptidsynthese. Verwendung von Alkylestern des Arginin als Aminokomponente 437
- Schimanski J., s. Müller A.
- Schimanski U., s. Müller A.
- Schlederer M., s. Ansari S. M.
- Schlögl K., s. Meyer A.
- Schmidt H.-W.: Cyclisierungsreaktionen von Ethoxymethylenmalonitril mit 4-substituierten Acetessigestern 891
- Schmidt J., s. Spreitzer H.
- Schmidtke H.-H., Atanasov M. A.: An angular overlap model treatment of mixed valence Pt(II)-Pt(IV) haloamine chain complexes 941
- Schreiber H., s. Gustav K.
- Schuberth H.: Vorhersage alyotroper Effekte in ternären flüssigen Systemen 955
- Schulze K., Uhlig H.: Riechstoffsynthesen mit Fencholenaldehyd 547
- Schuster W., s. Ipser H.
- Schwendinger M. G., s. Rode B. M.
- Schäfer H., Gewalt K.: Synthese und Reaktionen von 2-Amino-1-aryl-5-oxo- Δ^2 -pyrrolin-3-carbonitrilen 315
- Schönfeld T., s. Fakhari E.
- Seeböth H., s. Graubaus H.
- Seidel I., s. Beckert R.
- Sekiya T., s. Kang W.-B.
- Sepúlveda-Arques J., Medio-Simón M., Piqueres-Vidal L.: Cycloaddition reactions of 1-*tert*-butyl-4-vinylpyrazole 1113
- Serda P., s. Ciechanowicz-Rutkowska M.
- Shargi S. N., s. Ebraheem K. A. K.
- Sharma R. N., s. Phadnis A. P.
- Sheldrick G. M., s. Reischl W.
- Shukla R. K., s. Mehrotra K. N.
- Simonetti M., s. Krois D.
- Simova S., s. Kostova I.
- Sinha B., s. Phadnis A. P.
- Snatzke G., s. Ciechanowicz-Rutkowska M.
- Sobczynski A., Jakubowska T., Zielinski S.: Hydrogen photoevolution from water-methanol on Ru/TiO₂ 101
- Sohár P., s. Szabó J.
- Soliman F. S. G., s. Badawey E.-S. A. M.
- Spasov S. D., Stefanova M. E., Kolev D. N.: A spectrophotometric method for determination of the solubilizing activity of cellulase complexes 177
- Sperka G., Fritzer H. P.: Magnetic properties of group VI B hexacarbonyls. Suggestion of a new diamagnetic susceptibility standard 25
- Spiteller G., s. Spreitzer H.
- Spreitzer H., Schmidt J., Kratzel U., Spiteller G.: Enorme Unterschiede in der qualitativen und quantitativen Zusammensetzung der Fettsäurefraktion von rohem und gekochtem Gemüse 169
- Spreitzer H., Spiteller G.: Gemüse, eine Quelle von Spurenbestandteilen für biologische Flüssigkeiten 1139
- Spreitzer H., s. Buchbauer G.
- Stadlbauer W.: Synthesen von Benzo-furo[2,3-*d*]pyrimidin-2,4-dionen 77
- Stanetty P., Puschautz E.: Herbizide Thienylharnstoffe, II. 65
- Stanetty P., Puschautz E., Friedbacher G.: Herbizide Thienylharnstoffe, I. 53
- Steen D., s. Gustav K.
- Stefanova M. E., s. Spasov S. D.
- Sterk H., s. Junek H., Ziegler E.
- Storch M., s. Gustav K.
- Streßler G., s. Falk H.
- Strnad J., Heckmann K., Gompper K.: Separation of plutonium from intermediate level liquid waste by precipitation with alkyl-pyridinium nitrates 21
- Szabó J., Katócs Á., Bernáth G., Sohár P.: Synthesis of 4-thia analogues of isoquinoline alkaloids 463
- Szabó J., s. Dombi G.

- Szalai I., László-Parragi M., Ratkovics F.: Keto-enol tautomerism and the dipole moment of the association in the cyclohexanone-carbon tetrachloride mixture 413
- Szalma S., s. Dombi G.
- Szalontai G.: Selective paramagnetic relaxation reagents (SPRR). Study of the line broadening effect of Cu^{++} ions on the ^{13}C NMR spectral lines of N-containing molecules 1049
- Szilágyi G., Dvortsák P.: Studies on pyridazine compounds, XIX. Methylation of 5-aminopyrazolones and related compounds 131
- Szpakowska M., s. Uruska I.
- Szölgyényi G. P., Winsauer, K. J. B., Deutsch E.: Determination of furusine as a measure for irreversibly bound glucose in human fibrinogen 1147
- Tišler M., s. Dobnikar M.
- Toma H. E., Cipriano C.: Synthesis and spectroscopic characterization of the trinuclear $[\text{Ru}_3\text{O}(\text{O}_2\text{CCH}_3)_6(\text{pyrazine})_3]^{0+}$ clusters 815
- Toma S., s. Gajda V.
- Tomic M., Herak J. J., Kovacevic M.: Reversible interconversion of thiazolidine-tetrahydrothiazine in the thiadiazabicyclooctanone system 237
- Tornero J., s. Alvarez-Valdes A.
- Trull F. R., s. Feliz M.
- Ueno Y., s. Kang W.-B.
- Uhlig H., s. Schulze K.
- Unfried P., s. Rossmanith K.
- Urban E., s. Fleischhacker W., Mostler U.
- Uruska I., Szpakowska M.: Solvent effect on CuCl_2 -pyridine derivative complexes; UV-VIS and E.S.R. study of the CuCl_2 -2,4-dimethylpyridine-solvent systems 91
- Vallès E., s. Albalat R., Feliz M.
- Varveri F. S., Nikokavouras J., Mantaka-Marketou A., Micha-Screttas M.: Synthesis of terminally substituted 9-alkylidene-10-methyl-acridans 967
- Vercek B., s. Dobnikar M.
- Vogt A., s. Dölling W.
- Wagner U. G., Kratky C., Kappe T.: Pyridazines with hetero-atom substituents in position 3 and 5, Part 1: 5-Hydroxy-3(2H)-pyridazinone and its derivatives 329
- Weissensteiner W., s. Kremminger P.
- Widhalm M., s. Gajda V.
- Wienböcker U., s. Müller A.
- Winsauer K. J. B., s. Szölgyényi G. P.
- Wittmann H., s. Ziegler E.
- Wojasz R., Rozwadowski M.: Comments on correct determination of structural parameters for adsorbents on heterogenous micropore systems 667
- Wolschann P., s. Ansari S. M.
- Wöss H., s. Falk H.
- Wünsch E., Krois D.: On the hypothetical protein F 154 of the TTV 1 virus/*Thermoproteus tenax*, Part I. Synthesis of a dodecapeptide amide related to the protein sequence 73-84 1021
- Wünsch E., s. Krois D.
- Yildirim I., s. Akcamur Y.
- Zafiropoulos T. F., Perlepes S. P., Plakatouras J.: Bis(1-methylbenzotriazole)dinitratocobalt(II): A pseudo-octahedral complex with pseudotetrahedral magnetochemical and ligand field characteristics 357
- Zakharieva M., s. Georgiev G.
- Zalupsky P., s. Graubau H.
- Zbiral E., s. Hartmann M., Reischl W.
- Zechmeister-Machart F., s. Buchbauer G.

Ziegler E., Wittmann H., Sterk H.: Reaktionen mit Betain, 24. Mitt.: Über Umsetzungen von Trimethylammonium-essigsäurebetain mit reaktiven Halogenverbindungen 907
Zielinski S., s. Sobczynski A.

Zimmermann M., s. Müller A.
Zobetz E., Preisinger A.: Kristallstruktur und Phasenumwandlung von Betain-Borat $(\text{CH}_3)_3\text{NCH}_2\text{COO} \cdot \text{B}(\text{OH})_3$ 291

Sachverzeichnis/Subject Index

- Ab initio calculation 491
Abietic acid skeleton, rearrangement 759
Absolute chiralities, of bi(1,6-methano[10]annuleny)s 453
Absorption spectroscopy 35, 91, 163, 177, 509, 715, 721, 771, 941
Acetylacetone-terbium(III) system 821
N-Acetylneuraminic acid, 4- and 8-epi 899
Acridans 967
Activation parameters 931
Active carbons 667
Active methylene compounds 269
Activity-structure correlation 711
Addition of N-acylpyridinium salt 131
Adsorption, heterogeneous micropore systems 667
—, influence on oxidation 651
—, polystyrene adsorbents 401
—, simplified integral equation 225
Aggregates of bile pigments 445
Aldol condensation 547
Alkaloid 363
Alkaloids, isoquinolino-, thia-analogues 463
O-Alkyl dithiocarbonates 879
1-Alkyl-4-benzoyl-4-phenyl-1*H*-pyrimidine-2-ones 1003
Alkyl-pyridinium nitrates for precipitation of Pu 21
9-Alkylidene-10-methylacridans 967
2-Alkylthio-1,3-thiazoles 871
Alkynylation 797
Almeidea guyanensis 363
(±)-Almeine 363
Aluminate, barium neodymium —, X-ray 1069
Aluminium oxide 759
Aluminium, corrosion inhibitors 501
Alyotropism 955
Amide rotation, barrier 253
Amino acid, aliphatic, hydrogen bond 491
5-Amino-1,2,3,4-thiatriazole 997
1-Amino-2(1*H*)-pyrimidinhydrazones 749
1-Amino-2-hydrazinopyrimidin-N-ylides 749
1-Amino-2-methylthiopyrimidinium salts 749
2-Amino-3-cyano-4*H*-pyrans 1101
2-Amino-pyrroline-3-carbonitriles 315
Aminobenzoic acid, complexes with lanthanides 231
3-Aminocrotononitrile 1095
Aminopyrazoles, mesylation 131
4-Aminosalicylates of lanthanides 211
Amorphigenin, isohydrazone 1107
Amphiphile 393
Anatas titania, Ru covered 101
Aniline derivatives 691
Anomalies of water 671
Antiaromatic character 117
Antimalarial, QSAR 913
Antimicrobial, potential 349, 571
Apomyoglobin 591
Aqueous complexing electrolytes 425
Arene-chromium bond, slowed rotation 1175
Arginine peptides 437
Aroma chemicals 547
Aromatic solvent induced shifts 735
Arsenic(III), determination 425
Aryl hydrogen succinates 863
Association 431
Association, keto-eaol 413
Avicel SF 177

- Azabenzophenothiazin-5-one 311
Azaheterocycles, tricyclic, quaternization 269

B₂-phase, Co-Ga-Ni 283
Barbituric acid 77
Barium neodymium aluminate, X-ray 1069
Basicity of 1,3-benzothiazines 587
Benzene-sulfonyl-5,10-dihydro-10-trimethylsilylindeno-[1,2-b]indole, action of KF on 117
Benzenoids 835
Benzimidazo-uracils, condensed 1159
Benzimidazoic derivatives, potential antimicrobial 571
1*H*-Benzimidazole-2-acetonitrile 73
Benzo[a]phenothiazin-5-one 311
Benzofuran 77
Benzofuro[2,3-d]pyrimidin-2,4-diones 77
[1]Benzopyrano[3,4-c]pyrazole-1-enes, substituted 1107
Benzopyrylium ions, substituted 2-phenyl 715
Benzothiazepines, CD 981
2*H*-1,3-Benzothiazines 463
4*H*-1,3-Benzothiazines 463
1,3-Benzothiazines 587
Benzothiazinophenothiazine 311
5-Benzoyl-1-methyleneamino-4-phenyl-1*H*-pyrimidine-2-ones 1003
Betaine borate 291
2,2'-Bi(1,6-methano[10]annulenyl)s, absolute chiralities 453
Bicyclo[2.2.1]hept-2-yne trimer chromium tricarbonyl complex 1175
Bijvoet method 453
Biladiene-bc 771
Bilatrienes 575
Bile pigments 35, 45, 139, 163, 445, 575, 591, 771, 789
1,19-Bilindiones, 10-substituted 35
Bilirubin 163
Biliverdin 163, 591
Biliverdin IX α 445
Biliverdin-III α 575
Biliverdin-III α -dimethyl ester 575
Biliverdin-IX α -dimethyl ester 575
Biliverdins, bridged 575, 789
Binary extraction, of lanthanoides 1085
Biocidal activity 711
Biological fluids 1139
Bis(1-methylbenzotriazole)-dinitratocobalt(II) 357
Bishomocamphene 299
Bishomocamphenilanic acid 299
Bishomocamphenilone 299
Bishomonorbornane derivatives 299
Borane-ammonia complex 899
Boron chelates 473
Boron, nickel tin oxide, X-ray 85
Bridged biliverdins 575, 789
1-*tert*-Butyl-4-vinylpyrazole 1113

Cadmium(II) complexes with dithio-oxamide 191
Camphane derivatives 931
Camphoraceous odour 299
1-Carbethoxy-(2,4-dinitrophenyl)osazone 907
1-Carbethoxy-2-methyl-(2,4-dinitrophenyl)osazone 907
Carbon disulfide 879
Carbonyl scrambling 809
Carbonyldiimidazole 84
Carboxylic acid association 445
Carrier mediated transport 45
Catalytic oxidation of methanol 199
Cationic surfactants 21
Cellulase complex 177
Chalcogenides, glass forming 643
Chemiluminescence 967
Chiral chalcon-tricarbonylchromium complexes 147
Chiroptical properties 147, 163, 453, 981
 α -Chloro acetanilides 315
Chloro(di)thioformate acylation 997
Chloroformate 997
Cholestatrien-3-one, 8*R*,25-dihydroxy-9,10-seco-4,6,10(19)- 1185
Cholesteric micellar liquid crystals 393
Chromium tricarbonyl complex 1175

- Chromium, chromate, crystal structure 1
Chronovoltammetry 515, 529
Circular dichroism 147, 163, 453, 789, 981
Cobalt - Ga - Ni ternary phase 283
Cobalt(II) complexes, pseudo-octahedral 357
Cobalt, extraction 691
Complex formation, biliverdin/apomyoglobin 591
Complexes 25, 91, 147, 177, 181, 187, 191, 211, 231, 357, 367, 473, 491, 509, 515, 529, 591, 711, 809, 815, 821, 827, 941
Configuration, in 5,6-dihydroxyisobenzofuranones 349
Conformational analysis 35, 45, 139, 725, 735, 789, 1003, 1107
Conjugated circuits 1043
Copper in electrolytes, plastic deformation of 11
Copper²⁺, application in 13-C NMR 1049
Copper(I)tetraiodomercurate, high pressure phase 7
Copper(II) chloride complexes 91
Copper(II), thiosemicarbazide based ligand complex 181
Copper-lithium-selenite-selenate, crystal structure 661
Coronoids 243, 833
Correlation, chemical and chiroptical 453
Corrosion 501
Corrosion inhibitors, complexes of 357
Cotarnin iodide 765
Coulometry 529
Coupling constants, INDO-SCPT calculations 923
Croweacinaldehyde 765
Cruciferae 169, 1139
Crystal structure, Ba₇Ir₆O₁₉ 705
-, Barium neodymium aluminate 1069
-, Betain borate 291
-, 2,2'-Bi(1,6-methano[10]-annulenyl)s 453
-, Bicyclo[2.2.1]hept-2-yne trimer complex 1175
-, 2,2'-Bi(1,6-methano[10]-annulenyl)s 453
-, Bicyclo[2.2.1]hept-2-yne trimer complex 1175
-, Imidazol-thionimine 1137
-, Li₂Cu₃(SeO₃)₂(SeO₄)₂ 661
-, Methano-dibenzo[b,f]-cyclopropa[d]azepine 797
-, Ni₃SnB₂O₁₀ 85
-, Propionic acid amide derivative 981
-, 3(2*H*)-Pyridazinones 329
-, Samarium soaps 1063
-, Selenowolframato-complex 367
-, SrNi₂Cr₈O₁₅ 1
-, Thiomolybdate-complexes 367
-, Thio wolframato-complexes 367
-, Thioxo-3-(4-methoxyphenyl)-4,5-bis(phenylimino)-thiazolidine 561
-, Vitamin D₃ derivative 1165
Crystalline absorption spectra 941
Culex quinquefasciatus 581
Curtius degradation 53, 65
Cyclic chromatography 147
Cyclization reaction 891
Cyclization, Pd/C catalyzed 77
Cyclocondensations 879, 1003
1,3-Cycloheptadiene 299
Cyclopentanone-2-carboxylate, ethyl- 73
Cycloadditions 1113
Decomposition, thermal of yttrium earth nitrates 849
Diamagnetic susceptibility standard 25
Diamagnetism of group VI B hexa-carbonyls 25
Diazabutadiene 827
Dibenzo[b,f-1]azapentalene anions 117
5*H*-Dibenzo[b,f]azepine 797
10,10'-Dibromo-2,2'-bi(1,6-methano[10]annulenyl) 453

- 4,6-Dichloro-5-pyridinecarbonitrile 1095
1-Dicyanomethylene-3-indanone 781
1-Dicyanomethylene-3-phenylamino-2-indenes 781
Dielectric relaxation 931
Diels-Alder reactions 27, 299, 1113
3,4-Dihydro-2*H*-1,3-benzothiazines 463
5,6-Dihydrobenzo[*c*]xanthylum ions, substituted 721
2,3-Dihydrobilin-1,19-diones 139
2,3-Dihydrobilindione 771
2,3-Dihydropyrrolo[2,3-*b*]pyridines 315
5,6-Dihydroxyisobenzofuranones, synthesis 349
Diitaconic acid ester 743
6,6-Dimethyl-7-methylen-bicyclo[3.2.2]nonane 299
3-(*ortho*-Dimethylaminophenyl)-tricarboxylchromium-1-phenyl-2-propenone 147
3-(*meta*-Dimethylaminophenyl)-tricarboxylchromium-1-phenyl-2-propenone 147
7,7-Dimethylbicyclo[3.2.2]nonane derivatives 299
3,5-Dinitrobenzoic acid, lanthanide complexes 1075
1,3-Dioxanes 725
1,3-Dioxanes, spiro- 735
2,5-Diphenylfuran, vibronic behaviour 111
Dipole moments 699
Distribution coefficient 1085
Dithiocarbamates 561
Dithiocarbamic acid esters 871
Dithiocarboxylation 879
1,3-Dithiole-2-thiones, 879
Donor, acceptor substituted 3-vinylindoles 157
Dsp-analysis 1125
Dyed microcrystalline cellulose 177
Dynamic aspects of order 671
Dysprosium(III), extraction 699
Earthy odour 299
Electrochemistry 11, 425, 651
Electrolyte-electrode interactions 11
Electrolytes, aqueous complexing 425
Electron spin resonance of complexes 91
Electron transfer 117
Electronic band structure 941
Electronic spectra, s. Absorption spectroscopy
Elimination 117
Enantioselective chromatography 453
Energetic heterogeneity of solids 401
Energy hyperface 139
Energy transfer 821
Enzymatic peptide synthesis 437
Ethoxymethylenemalonitrile 891
Ethyl benzoates 891
Europium(III), extraction 699
Exciton couplets 981
Extraction, theory 955

Far infra red, lanthanide complexes 187
Fatty acid fraction 1139
Fatty acid oxidation 169
Fencholenic aldehyde 547
Ferrocene, multiple quantum NMR 801
Ferroelastic phase transition 291
Fibrinogen 1147
Fine structure analysis, vibronic 111
Fluorescence 111, 715
Force field for in plane vibrations 273
Force-field calculations 139
Formal potential 515, 529
N-Formyl-N-(desoxy-1-*D*-fructosyl-1-)-*L*-lysine 1147
Fries rearrangement 863
Frontier orbitals 27
2(3*H*)-Furanones 863
Furfurylidene benzylhydrazones 323
Furosine 1147

Gallium - Co - Ni ternary phase 283
Garlicin 349
Gas adsorption 461

- Gc-ms 1139
Geminal diazido compounds 1159
Glass forming system Se-Te-Ag 643
Glassy media 931
D-Glucose, dopant for cholesteric micellar liquid crystals 393
Glucose, irreversibly bound 1147
Glycation 1147
Glycinates, methyl *N*-acyl-*N*-(β -benzoyl-ethyl)- 253
Glycine \rightarrow proline conversion 253
Glycine/ Na^+ complex 491
Glycolic acid nitrole 907
Glycopyranosylamino pyrano[2,3-*d*]-pyrimidin-2-ones 1119
Gold electrode 651

Helix inversion 789
Herbicides 53, 65
Heterogeneous micropore systems 667
Heterogeneous surfaces, adsorption 225
Heteronuclear NOE 809
High pressure phase, copper(I)tetraiodomercurate 7
Homofencholenic aldehyde 547
Hplc 1147
Human fibrinogen 1147
Hydration shell 491
s-Hydrindacene-1-one 597, 623
Hydrocarbon adsorption 401
Hydrogen bond, aliphatic amino acid 491
Hydrogen photoevolution 101
Hydrolysis of furfurylidene benzoylhydrazone 323
Hydrothermal synthesis 1661
4-Hydrox-6-oxo-1,6-dihydro-3-pyridinecarbonitriles 1095
Hydroxy-fatty-acids 1139
8-Hydroxyquinoline, complexes 187

Imidazo-pyridopyrimidine, reactions 269
Imidazo-quinazolines, reactions 269
4-Imino-4*H*-3,1-benzoxazines 973
Indano[2,1-*c*]pyridazines 781
Indano[2,1-*c*]pyridines 781
1-Indanone 597, 623
Indo-SCPT calculations 923
Infrared 111, 181, 187, 191, 273, 473, 827, 1063
Inhibitors of corrosion 501
Interconversion barrier 789
Interface phenomena 11
Intermolecular interactions 163
Intramolecular hydrogen bonding 1003
Intramolecular interactions 591
Ion exchange 1091
Iridate(IV), barium oxo-, crystal structure 705
Irontricarbonyl-diene-complex, 13-C NMR 809
Isobenzofuranone 349
Isohydrazones, of rotenone and amorphigenin 1107
Isophthalonitrile, in plane vibrations 273
Isopropylidene-1a,10b-dihydro-1*H*-1,6-methano-dibenzo[*b,f*]-cyclopropa[*d*]azepine, X-ray 797
Isoquinoline 765
Isoquinolino alkaloids, thia-analogues 463
Isotope substitution 191
Itaconic esters 743

Kekulé structures 243, 833, 1043
 β -Keto esters 597, 623
Keto-enol tautomerism 423
Kinetic studies 323
Kinetics of xylan hydrolases 343

Lanthanide 2,4-dinitrobenzoates 539
Lanthanide complexes 211, 231
Lanthanide oxines 187
Lanthanide(III), extraction 699
Lanthanides, 3,5-dinitrobenzoates 1075
Lanthanoides, binary extraction 1085
Lanthanum 539
Lanthanum, 3,5-dinitrobenzoate 1075
Larval toxicity 581
Lattice parameter Co-Ga-Ni 283

- Levafixbrillantrot E-2 B 177
Ligand exchange 1091
Ligand field spectra 357
Linear Pt chain compounds 941
Lipoxygenases 169
Liquid crystals 393
Liquid state 671
Liquid-liquid phase equilibria 955
Lithiation 117
Lithium-copper-selenite-selenate,
crystal structure 661
Low frequency IR and Raman spectra
191
Luminescence, quantum efficiency 699
- Macroporous resins 1091
Magnetic moment, Cu(II) complex 181
Magnetic moments, complexes 357
Magnetic susceptibility 25
Malachite green 219
Malonic acid derivatives 1119
Malononitrile 315
Mesobiliverdin XIIIa 445
Mesylation 131
Metal group VI B hexacarbonyls 25
Metal-ligand vibrations 187
Metallocene hexafluoropnicogenate
complexes 711
Methane sulfonic acid 77
Methyl N-acyl-3-hydroxy-3-phenyl-
prolinates 253
Methyl N-acyl-N-(β -benzoylethyl)-
glycinates 253
1-Methylbenzotriazole 357
Micelles 445
Michael addition, stereoselective 147
Microporous adsorbents 667
Mixed gas adsorption 225
Mndo-calculations 561
Molecular geometry 473
Molecular reorientation 931
Molecular structure and spectroscopy
715, 721
Molecular structure by vibronic
behaviour 111
Molybdenum trioxide catalyst 199
Monoitaconic ester 743
- Multicomponent adsorption 225
Multiple quantum NMR spectroscopy
801
Mössbauer spectra 827
- Naphthols 1003
Neodymium barium aluminate, X-ray
1069
Nickel-Co-Ga ternary phase 283
Nickel chromate, crystal structure 1
Nickel, tin boron oxide, X-ray 85
Nitrogen-sulfur heterocycles 561, 1125
Nitrosylaldehyde-S-methylisothio-
semicarbazonato-piperidine-
copper(II) 181
Nmr spectroscopy, multiple quantum
801
Nmr, 1-H 35, 751, 801
-, bile pigment aggregates 445
-, cholesteric mesophases 393
Nmr, 13-C 27, 35, 809, 1125, 1175
Nmr, 13-C/1-H coupling constants,
INDO-SCPT calculations 923
Nmr, dynamic 13-C 809
15-Nor-hexapyrrin 45
Nucleosides 1119
- Optical resolution 147
Organometallic 801, 809, 1175
Organometallic hexafluoropnico-
genates 711
1,2,4-Oxadiazolo[3,4-c]1,4-
benzoxazine 81
Oxalic acid derivatives 561
Oxalic acid derivatives, 13-C NMR
1125
Oxalic acid oxidation 651
Oxidation of methanol, structure-
sensitive 199
Oxidation of methyl groups 127
Oxidation, oxalic acid 651
Oxide, barium neodymium
aluminium-, X-ray 1069
Oxide, nickel tin boron-, X-ray 85
4-Oxoacids 863

- Oxochromate, Sr-Ni-, crystal structure 1
Oxoiridate(IV), barium-, crystal structure 705
Oxovanadium(IV) β -diketonates 509
Oxygen, chromate, crystal structure 1
- Palladium/C catalyzed cyclization 77
Papain catalyzed peptide synthesis 437
Paramagnetic relaxation 1049
Pentaerythritol ketals 735
Pentapyrrin 45
Peptide synthesis 1021, 1029
Peptide synthesis, enzymatic 437
Ph-metry 515
Pharmacological activity 913
Phase diagram Co-Ga-Ni 283
Phase diagram, Ga-Ni 283
Phase transfer catalysis 797
Phase transfer dithiocarboxylation 879
Phenyl semicarbazide derivatives 501
2-Phenyl-2,3-dihydro-1,5-benzothiazepin-4(5*H*)-ones, CD 981
1-Phenyl-3-methyl-4-benzoylpyrazol-5-one 691
Phenylamino-indano[2,1-*c*]pyridines 781
Photo-Fries rearrangement 863
Photocatalysis 101
Photochemical glycine \rightarrow proline conversion 253
Photochemical isomerization 759
Photochemistry 101, 253, 699, 759
Photocyclization 253
Photoelectron spectra 27
Phthalaldehydic acid 597
Piekara-constant 413
Piperidines 1003
Pitch of cholesteric micellar liquid crystals 393
Pka values of 5-hydroxy-3(2*H*)-pyridazinone 329
Planarchiral compounds, stereochemistry 453
Plastic deformation of copper in electrolytes 11
Platinum linear chain compounds 941
Platinum(II)-platinum(IV) haloamine chain complexes 941
Plutonium, separation from waste 21
Pnicogenates, organometallic hexafluoro- 711
Polarizing microscope, cholesteric mesophase 393
Polarography 425
Poly-(Thr-Pro)-peptides 1021, 1028
Polyacryl-N-acryloxysuccinimid copolymer 771
Polymer, water-soluble 771
Polymeric cations 1091
Polystyrene adsorbents 401
Potassium fluoride, action on 5-benzenesulfonyl-5,10-dihydro-10-trimethylsilylindeno[1,2-*b*]indole 117
Potato tubers 169
Potential antimicrobial agents 1159
Potential biological activity 1095
Prolinates, methyl N-acyl-3-hydroxy-3-phenyl- 253
Propano bridge 299
8-Propargyloxy-3,7-dimethyl-2,6-octadienyl/6-octenyl ethers 581
Protein complex 163
4*H*-Pyrano[2,3-*d*]pyrimidines 1101
Pyrano[2,3-*d*]pyrimidines 1119
4*H*-Pyrans, 2-amino-3-cyano 1101
Pyrazine, in Ru cluster 815
Pyrazole, 1-*tert*-butyl-4-vinyl- 1113
3(2*H*)-Pyridazinones, 5-methoxy and 5-hydroxy 329
Pyridine derivative complexes 91
3-Pyridinecarbonitriles 1095
Pyrido[1,2-*a*]benzimidazoles, tetracyclic 73
1*H*-Pyrimidine-2-ones, 1-alkyl-4-benzoyl-4-phenyl 1003
1*H*-Pyrimidine-2-ones, benzoyl-1-methyleneamino-4-phenyl- 1003
Pyrimidine-2-thiones, 1,4,5-substituted 1003
Pyrimidine-dione 77
Pyrimido[1,6-*a*]benzimidazoles, tricyclic 1159
Pyrrole pigments, s. Bile pigments

- Qsar antimalarial 913
Quantum pharmacological studies 913
Quaternization 587
Quaternization of tricyclic azaheterocycles 269
Quinazoline, 2,3-dimethyl- 127
4-Quinazolones 973
Quinoline alkaloid (\pm)-Almein 363
Quinoxaline, 2,3-dimethyl- 127
- Raman spectra 191
Rare earth nitrates, hydrolysis, thermal decomposition 849
Reagent for Rhenium determination 219
Rearrangement, of abietic acid skeleton 759
Rearrangement, of 4-imino-4*H*-3,1-benzoxazines 973
Redox potentials 11
Redox systems with silver ions 515, 529
Relaxation 801
Resonance Raman 815
Resonance energy 1043
Reversible interconversion thiazolidine-tetrahydrothiazine 237
Rhenium, high selective spectrophotometric determination 219
Ring opening of condensed pyrimidine ring 269
Rotenoids 1107
Rutaceae 363
Ruthenium/titania, hydrogen photoevolution 101
Ruthenium cluster 815
Ruthenium tetroxide 899
- Samarium soaps 1063
Sandalwood aroma chemicals 547
Schistosomicidal agents 991
9,10-Seco-4,6,10(19)cholestatrien-3*S*,8*R*,25-triol 1185
Selective paramagnetic relaxation agent 1049
Selective synthesis of 3-vinylindoles 157
Selenate-selenite, lithium-copper-, crystal structure 661
Selenium dioxide 127
Selenium - Te - Ag 643
Semiempirical calculations 27
Sensitized emission 821
Sialic acids 899
Silver complexes 515, 529
Silver ions, redox systems 515, 529
Silver - Se - Te 643
Silylation 117
Slowed rotation, arene-chromium bond 1175
Soaps, samarium- 1063
Solubilizing activity of cellulase complexes 177
Solvent effects 91, 507, 923
Solvent extraction, cobalt 691
Spectrophotometric determination of Rhenium 219
Spectrophotometric method 177
Spiro cyclization 597
Spiro-1,3-dioxanes 735
2,2'-Spirobiindane-1,1'-diones 597
2,2'-Spirobiindane-1-ones 623
2,2'-Spirobiindanes, substituted 623
Static relative permittivity 413
Staudinger reaction 1159
Stereochemistry of vitamin D₃ derivatives 1165
Strontium chromate, crystal structure 1
Structure-activity correlation 711
Structure-sensitive oxidation of methanol 199
Sulfoxide epimerization 237
Sulfur-nitrogen heterocycles 561
Supercooled water 671
Synergic effect, extraction of Co 691
System organization 11, 671
- Tautomers, of 1-aminopyrimidin-2-hydrazones 749
Tellurium - Se - Ag 643
Terbium(III), extraction 699
Terbium(III)-acetylacetone system 821
Ternary system Se - Te - Ag 643
Ternary systems 955
Terpenes 759
2,2':6',2''-Terpyridine 515, 529

- Tetrachloro tin(IV) 827
Tetrachloro[1,4-di(*p*-methoxyphenyl)-2,3-dimethyl-1,4-diazabutadiene] tin(IV) 827
Tetracyclic pyrido[1,2-*a*]-benzimidazoles 73
Tetrahydrobenzo-1-indanone 597
Tetrahydrothiazine-thiazolidine, reversible interconversion 237
Thermogravimetry, of samarium soaps 1063
Thia-analogues of isoquinolino alkaloids 463
Thiadiazabicyclooctanone derivatives 237
15-Thiahexapyrrin 45
Thiatriazoles 997
Thiazepines, CD 981
1,3-Thiazole derivatives 871
Thiazolidine-tetrahydrothiazine, reversible interconversion 237
1,3-Thiazoline-2-thiones 871
4*H*-Thiazolo[4,5-*b*][1]-benzothio-pyran-4-ones 991
Thieno[3,2-*c*]pyrrolo[1,2-*a*]-pyrimidines 315
Thiophenes 53, 65
Thiosemicarbazide based Cu(II) complex 181
Thiosemicarbazones 1125
Thioxo-3-(4-methoxyphenyl)-4,5-bis(phenylimino)-thiazolidine crystal structure 561
Tin, nickel boron oxide, X-ray 85
Titania/ruthenium, hydrogen photo-evolution 101
Torsional isomers 453
Total synthesis, (±)-Almein 363
Triacetylcellulose 147
1,2,4-Triazolo[2,3-*a*]pyrimidinium salts 749
Tricaprylmethylammonium pelargonate 1085
Tricarbonyl[3-6-η-(*E*)-6-methyl-3,5-heptadien-2-one]iron 809
Tricarbonylchromium compounds 147
Trimethylammonium acetic acid betaine 907
6-*exo*-7,7-Trimethylbicyclo[3.2.2]-nonane-6-ol 299
Trithiadiazapentalenes 997
TTV 1 virus 1021, 1028

Ureas 53, 65
Urethanes 53, 65
Uv-vis spectra, s. Absorption spectroscopy

Vapour-liquid equilibrium 413
Vegetables 169, 1139
Vibrational spectroscopy 111, 191
3-Vinylindoles 27, 157
Vinylpyrazoles 1113
Violinoide bile pigments 771
Virus, TTV 1 1021, 1028
Vitamin D₃ 4-phenyl-triazoline-3,5-dione adduct bisoxiranes 1165
Vitamin D₃ derivative, X-ray 1165
Vitamin D₃ metabolite 1185

"Waffles", coronoid hydrocarbons 243
Water, supercooled 671
Water-soluble polymer 771
Wittig reaction 157
Woody odour 547

X-ray structure, s. Crystal structure
X-ray, high pressure camera 7
Xylan 1,4-β-xylosidase 343
Xylan hydrolases 343
endo-1,4-β-Xylanase 343

Yttrium 539
Yttrium earth nitrates, thermal decomposition 849
Yttrium, 3,5-dinitrobenzoate 1075

Zirconium cations, polymeric 1091

